

LUMEX 5 | LUMEX 5-S

LUMEX 5-S Date | LUMEX 5-S Date Alpha



LUMEX 5



LUMEX 5-S Date Alpha



LUMEX 5-S



LUMEX 5-S Date

Features

The LUMEX is an elegant LED digital clock for indoor use. The clock is available in the LED colours red, green, yellow and white. The synchronization modes time code (TC), 24 Volt minute impulse and stand alone are already built in. The light intensity can be set manually or switched to the «automatic» function. A temperature sensor and the «Chronometer» function including remote control are optionally available.

Specifications

Power	230 VAC, 50 Hz, $\pm 5\%$
Power consumption	0.35 A
Temperature range	0°C to 40°C
Digit height HH:MM:DD	50 mm
Digit height :SS	35 mm
Display colour (LED)	Red, green*, yellow*, white* (*except 5S-DATE et 5S-DATE-ALPHA)
Synchronisation	Stand alone, 24 V Minute impulse, Time Code (TC). Option: NTP-PoE (except LUMEX 5-S Date, LUMEX 5-S Date Alpha), DCF
Accuracy	± 0.1 sec./24 hours
Power reserve	48 hours
Change summer and winter time	Last Sunday in March, last Sunday in October
Measuring range temp. sensor	0°C to +40°C
Accuracy temperature sensor	$\pm 1^\circ\text{C}$
Temperature and date display	Interval, duration freely selectable

Ordering information | Accessories

Lumex 5	Display colour	Version	Mounting	Weight
GM-LUMEX-5	● ● ● ● ○	Single sided		0.64 kg
GM-LUMEX-5-DS-D	● ● ● ● ○	Double sided	Ceiling mounting	0.90 kg
GM-LUMEX-5-DS-W	● ● ● ● ○	Double sided	Wall mounting	1.00 kg

	Dim. W × H × D	Version	Readability
GM-LUMEX-5	250 × 96 × 50 mm	Single sided	20 m
GM-LUMEX-5-DS-D	250 × 96 × 70 mm	Double sided	20 m
GM-LUMEX-5-DS-W	250 × 96 × 70 mm	Double sided	20 m

Lumex 5-S	Display colour	Version	Mounting	Weight
GM-LUMEX-5-S	● ● ● ● ○	Single sided		0.70 kg
GM-LUMEX-5-S-DS-D	● ● ● ● ○	Double sided	Ceiling mounting	1.02 kg
GM-LUMEX-5-S-DS-W	● ● ● ● ○	Double sided	Wall mounting	1.12 kg

	Dim. W × H × D	Version	Readability
GM-LUMEX-5-S	335 × 96 × 50 mm	Single sided	20 m
GM-LUMEX-5-S-DS-D	335 × 96 × 70 mm	Double sided	20 m
GM-LUMEX-5-S-DS-W	335 × 96 × 70 mm	Double sided	20 m

Lumex 5-S Date	Display colour	Version	Mounting	Weight
GM-LUMEX-5-S-Date	●	Single sided	Wall mounting	1.40 kg


	Dim. W × H × D	Version	Readability
GM-LUMEX-5-S-Date	425 × 175 × 50 mm	Single sided	20 m

Lumex 5-S Date Alpha	Display colour	Version	Mounting	Weight
GM-LUMEX-5-S-Date-Alpha	●	Single sided	Wall mounting	1.40 kg


	Dim. W × H × D	Version	Readability
GM-LUMEX-5-S-Date-Alpha	425 × 175 × 50 mm	Single sided	20 m

Dimensions and mounting for double sided clock (measurements in mm)


1 Wall mounting LUMEX 5




Wall mounting LUMEX 5-S




2 Ceiling mounting LUMEX 5




LUMEX 5, View from top



Ceiling mounting LUMEX 5-S



LUMEX 5-S, View from top




Dimensions and mounting (measurements in mm)

3 Wall mounting LUMEX 5-S Date and LUMEX 5-S Date Alpha



Wall mounting LUMEX 5



Wall mounting LUMEX 5-S

